



Biomatik Tel: (519) 489-7195, (800) 836-8089 Fax: (519) 231-0140, (877) 221-3515

Email: info@biomatik.com http://www.biomatik.com

Certificate of Quality

Product Name: Bromophenol Blue, Free Acid

A tracking dye for nucleic acid and protein gels. pH indicator, range 3.0 (yellow) to 4.6 (blue).

Product Code: A2222 CAS #: 115-39-9

Grade: Biotechnology Formula: C19H10Br4O5S

Appearance: Pink to red crystalline powder MW: 669.96

Reassay Date: 3 years after shipping date Lot#: See product label

Storage: Store at room temperature. Protect from moisture.

TEST	SPECIFICATION	RESULT
Transition Range	pH3.0-4.6	Passes
Absorbtion Lambda1 (pH 3.0)	434-439	Passes
Absorbtion Lambda2 (pH 4.6)	590-593nm	Passes
Moisture (LOD)	≤ 1%	Passes
рН3.0	350-385nm	Passes
pH4.6	940-1000nm	Passes

Data Verified by M. He. Verification Date: 2020-01-06

Limited Usage and Warranty: For Research Use Only. Not for use in diagnostic procedures. Not for human or animal drug or food use. Biomatik warrants materials of said quality at the time of sale. It is the sole responsibility of the customer to determine the adequacy of all materials for any intended or specific purpose of use. Biomatik's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way or which has been misused or damaged by accident or negligence. No other warranties of any kind, expressed or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose, are provided by Biomatik. Biomatik shall have no liability for any direct, indirect, consequential, or incidental damages arising out of the use, the results of use, or the inability to use this product.