

CAU24345 Mouse

Polyclonal Antibody to Cartilage Intermediate Layer Protein (CILP)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.45mg/ml

**UOM**: 10µg(23µl)

Applications: WB; IHC; ICC; IP.

# [ IMMUNOGEN ]

Immunogen: Recombinant CILP (Pro604~His864 (Accession # Q66K08)) expressed in E.coli

Accession No.: RPC382Mu01

## [ APPLICATIONS ]

Western blotting: 0.5-2µg/mL;1:220-900

Immunohistochemistry: 5-20µg/mL;1:22-90

Immunocytochemistry: 5-20µg/mL;1:22-90

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

### [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the



expiration date under appropriate storage condition.

# [IDENTIFICATION]




Figure. Western Blot; Sample:

Recombinant CILP, Mouse.

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.